



Qingdao Guanyu Plastic Co.,Ltd

Add: No.624 Qingshan Road,Qingdao,China

Tel: +86-532-86088528 87896789

Fax: +86-532-87896789

Email: sales@giscostorage.com

Website: <http://www.giscostorage.com>

CATALOG 2016





CONTENTS

Introduction | **01**

Shelffull Bins Systems

- 05.** Shelffull Bins
- 09.** Wire Shelving with Shelffull Bins
- 10.** Wire Shelving Trolley with Shelffull Bins
- 11.** Racking with Shelffull Bins

Shelf Bins Systems

- 12.** Shelf Bins
- 14.** Wire Shelving with Shelf Bins
- 15.** Wire Shelving Trolley with Shelf Bins
- 16.** Racking with Shelf Bins

05 Storage Bins Systems | **17**

- 17.** Stacking Storage Bins
- 18.** Hanging Storage Bins
- 19.** Stack and Hang Storage Bins
- 20.** Wire Shelving with Storage Bins
- 21.** Wire Shelving Trolley with Storage Bins

- 22.** Louvered Panel with Storage Bins

Plastic Containers Systems | **24**

- 24.** Nesting Containers
- 25.** Stack and Nest Containers
- 26.** Stacking Containers
- 28.** Container Dolly

WE PLACE
THE GLOBE
IN ORDER

Qingdao Guanyu Plastic Co.,Ltd

Qingdao Guanyu Plastic Co., Ltd. is in the line of storage, organization and transport solution. With good products, lowest prices and best service, we aim to increase material handling efficiency and reduce costs in any industries. Since 1999, Qingdao Guanyu Plastic Co., Ltd has been the industry leader in providing material storage and handling products, for plastic storage bins, containers, wire shelving, racking, etc., which are used in Industrial, Healthcare, Custom, Home and so on.

We already sell our storage products to over 60 countries in the word and have been recognized by the customers for the good quality and service.



Material



We use the polypropylene of EXXONMOBIL and SINOPEN as the material of our products to improve the good stiffness and impact resistance.



Technical Assistant



We cooperated with Qingdao University of Science and Technology and set up scientific research bases to do the studies and test for the plastic product materials. We also cooperated with the Ocean University of China to study the intelligence, automation, information, which can get the resources for the industry expansion, products study and talent introduction.


Engineering & Design

Qingdao Guanyu Plastic Co., Ltd owns a professional team of engineers and designers, who could make custom molding to meet the specific needs and keep designing new products continuously.



Inspection, Verification, Testing

It is our commitment to provide products with good quality. We have a laboratory and a strict quality control system to make the test.



Patent



Customer



Description

- ◆ Made of high-strength polypropylene with reinforced bases, sides and rims.
- ◆ Available in 18 sizes to store a wide range of different items.
- ◆ Each bin could hold a maximum of 8 SKUs and available for holding related SKUs.
- ◆ Width and length dividers multiply storage methods.
- ◆ Works with racking for maximum storage capacity.



Available in ESD
Red Green Yellow Blue White Clear



Specifications

Item No	Dimensions W×D×H(mm)	Dimensions W×D×H(inch)	N.W. (kg)	Load Cap (kg)	Accessory			Qty/20GP (ctn)	Qty/40HC (ctn)
					Width divider	Length divider	Front plate		
SF3115	100×300×150	4×11-4/5×5-9/10	0.209	5	SFH115		SFF100	510	1272
SF3215	200×300×150	7-4/5×11-4/5×5-9/10	0.288	5	SFH215	SFV315	SFF200	510	1272
SF3415	400×300×150	15-3/4×11-4/5×5-9/10	0.505	15	SFH415	SFV315		510	1272
SF5115	100×500×150	4×19-7/10×5-9/10	0.308	8	SFH115		SFF100	305	762
SF5215	200×500×150	7-4/5×19-7/10×5-9/10	0.478	10	SFH215	SFV515	SFF200	305	762
SF5415	400×500×150	15-3/4×19-7/10×5-9/10	0.878	15	SFH415	SFV515		305	762
SF6115	100×600×150	4×23-3/5×5-9/10	0.408	15	SFH115		SFF100	255	636
SF6215	200×600×150	7-4/5×23-3/5×5-9/10	0.555	25	SFH215	SFV615	SFF200	255	636
SF6415	400×600×150	15-3/4×23-3/5×5-9/10	1.014	30	SFH415	SFV615		255	636
SF3120	100×300×200	4×11-4/5×7-4/5	0.289	20	SFH120		SFF100	510	1060
SF3220	200×300×200	7-4/5×11-4/5×7-4/5	0.392	25	SFH220	SFV320	SFF200	510	1060
SF3420	400×300×200	15-3/4×11-4/5×7-4/5	0.706	30	SFH420	SFV320		510	1060
SF5120	100×500×200	4×19-7/10×7-4/5	0.495	20	SFH120		SFF100	305	635
SF5220	200×500×200	7-4/5×19-7/10×7-4/5	0.637	20	SFH220	SFV520	SFF200	305	635
SF5420	400×500×200	15-3/4×19-7/10×7-4/5	1.129	35	SFH420	SFV520		305	635
SF6120	100×600×200	4×23-3/5×7-4/5	0.521	20	SFH120		SFF100	255	530
SF6220	200×600×200	7-4/5×23-3/5×7-4/5	0.804	30	SFH220	SFV620	SFF200	255	530
SF6420	400×600×200	15-3/4×23-3/5×7-4/5	1.28	40	SFH420	SFV620		255	530

Features



A Clear front plate



B Adhesive label place



C Stacking ribs



D Hanglock



E Multiple dividers



F Trapezoidal design

Accessories



Available for
attaching label

Width divider
for dividing the bin
to 1/2, 1/3, 1/4, 1/6, 1/8



Arrow on the
divider for easy
assembly

Length divider
for dividing the bin
to 1/2, 1/3, 1/4



Easy to clean

Clear front plate
makes the semi-open front
workable, and easy for
visual identification



How to use the front plate

Visual management

- 1.Red, Yellow, Blue, Green, White, Clear allow users to manage and pick different parts by color easily.
- 2.Semi-open front allows for easy access, and clear front plate keeps parts easily identified.

Intensive storage

- 1.The hanglock allows complete access to contents when the shelfull bin tilted out on shelving, and improves the capacity by 35%-40%.
- 2.Perfect working with racking.



Management of SKUs

Width and length dividers make the items separated in the bins, which solves the demand problem of large storage capacity in total, but small storage capacity per SKU.



Management during the production


Storing the parts in the bin according to the quantity demand during the production, it is easy to confirm the assembly problem by checking the parts left in the bin after the production.

Design of semi-open front

Semi-open front is for easy access, and clear front plate keeps parts easily identified.



Space-efficient storage system



Height



Width



Depth




Larger volume after using the front plate



Description

- ◆ Chrome shelves with corrosion resistant & 130kg capacity per shelf.
- ◆ Works with shelffull bin to organize parts and increase efficiency.
- ◆ A wide open hopper front for easy picking.
- ◆ The shelves could be adjustable for your needs.
- ◆ Easy installation for one person.



SFW300 Specifications

Item No	Dimensions(shelf) W × D × H(mm)	Dimension(shelf) W × D × H(inch)
SFW300	860 × 300 × 1800	33-9/10 × 11-4/5 × 70-4/5
Shelf No.	Bin Model	Bin Qty (pcs)
1	SF3215	4
2	SF3215+SF3415	2+1
3	SF3415	2
4	SF3115+SF3215	4+2
5	SF3120+SF3220	4+2
6	SF3220	4
7	SF3220+SF3420	2+1
8	SF3420	2



SFW500 Specifications


Item No	Dimensions(shelf) W × D × H(mm)	Dimension(shelf) W × D × H(inch)
SFW500	860 × 500 × 1800	33-9/10 × 19-7/10 × 70-4/5
Shelf No.	Bin Model	Bin Qty (pcs)
1	SF5215	4
2	SF5215+SF5415	2+1
3	SF5415	2
4	SF5115+SF5215	4+2
5	SF5120+SF5220	4+2
6	SF5220	4
7	SF5220+SF5420	2+1
8	SF5420	2

SFW600 Specifications

Item No	Dimensions(shelf) W × D × H(mm)	Dimension(shelf) W × D × H(inch)
SFW600	860 × 600 × 1800	33-9/10 × 23-3/5 × 70-4/5
Shelf No.	Bin Model	Bin Qty (pcs)
1	SF6215	4
2	SF6215+SF6415	2+1
3	SF6415	2
4	SF6115+SF6215	4+2
5	SF6120+SF6220	4+2
6	SF6220	4
7	SF6220+SF6420	2+1
8	SF6420	2

Description

- ◆ Chrome shelves with corrosion resistant & 130kg capacity per shelf.
- ◆ Works with shelffull bin to organize parts and increase efficiency.
- ◆ A wide open hopper front for easy picking.
- ◆ The shelves could be adjustable for your needs.
- ◆ Easy moving with castors.
- ◆ Easy installation for one person.



WST300 Specifications

Item No	Dimensions(shelf) W × D × H(mm)	Dimension(shelf) W × D × H(inch)
WST300	860 × 300 × 1400	33-9/10 × 11-4/5 × 55-1/10
Shelf No.	Bin Model	Bin Qty (pcs)
1	SF3215	4
2	SF3415	2
3	SF3220	4
4	SF3220+SF3420	2+1
5	SF3420	2



WST500 Specifications

Item No	Dimensions(shelf) W × D × H(mm)	Dimension(shelf) W × D × H(inch)
WST500	860 × 500 × 1400	33-9/10 × 19-7/10 × 55-1/10
Shelf No.	Bin Model	Bin Qty (pcs)
1	SF5215	4
2	SF5415	2
3	SF5220	4
4	SF5220+SF5420	2+1
5	SF5420	2

WST600 Specifications

Item No	Dimensions(shelf) W × D × H(mm)	Dimension(shelf) W × D × H(inch)
WST600	860 × 600 × 1400	33-9/10 × 23-3/5 × 55-1/10
Shelf No.	Bin Model	Bin Qty (pcs)
1	SF6215	4
2	SF6415	2
3	SF6220	4
4	SF6220+SF6420	2+1
5	SF6420	2

Description

- ◆ Manufactured from high-grade steel with corrosion resistant &150kg capacity per shelf.
- ◆ Works with shelffull bin to organize parts and increase efficiency
- ◆ A wide open hopper front for easy picking.
- ◆ The shelves could be adjustable for your needs.
- ◆ Easy installation.



WSR500 Specifications

Item No	Dimensions(shelf) W×D×H(mm)	Dimension(shelf) W×D×H(inch)
WSR500	1200×500×2000	47-1/4×19-7/10×78-3/4
Shelf No.	Bin Model	Bin Qty (pcs)
1	SF5420	3
2	SF5220 + SF5420	4+1
3	SF5415	3
4	SF5215	6
5	SF5115 + SF5215	4+4
6	SF5115 + SF5215	4+4
7	SF5120 + SF5220	4+4
8	SF5215 + SF5415	4+1
9	SF5420	3

WSR600 Specifications


Item No	Dimensions(shelf) W×D×H(mm)	Dimension(shelf) W×D×H(inch)
WSR600	1200×600×2000	47-1/4×23-3/5×78-3/4
Shelf No.	Bin Model	Bin Qty (pcs)
1	SF6420	3
2	SF6220 + SF6420	4+1
3	SF6415	3
4	SF6215	6
5	SF6115 + SF6215	4+4
6	SF6115 + SF6215	4+4
7	SF6120 + SF6220	4+4
8	SF6215 + SF6415	4+1
9	SF6420	3

WSR600 Specifications

Item No	Dimensions(shelf) W×D×H(mm)	Dimension(shelf) W×D×H(inch)
WSR600	1200×600×2000	47-1/4×23-3/5×78-3/4
Shelf No.	Bin Model	Bin Qty (pcs)
1	SF3420	6
2	SF3220 + SF3420	8+2
3	SF3415	6
4	SF3215	12
5	SF3115 + SF3215	8+8
6	SF3115 + SF3215	8+8
7	SF3120 + SF3220	8+8
8	SF3215 + SF3415	8+1
9	SF3420	6

Description

- ◆ Made of high-strength polypropylene and easy to clean.
- ◆ Perfect to store small parts and components in any industry.
- ◆ Stackable on each other and works with wire shelving, racking.
- ◆ Large label card for easy identification.
- ◆ Available in 12 sizes to store a wide range of different items.



Specifications


Series	Model	Dimensions W×D×H (mm)	Dimensions W×D×H (inch)	N.W. (kg)	Cap. (L)	Load Cap.(kg)	Stack load Cap.(kg)	Qty/ctn (pcs)	Qty/20GP (ctn)	Qty/40GP (ctn)
109	PK3109	117 × 300 × 90	4-3/5 × 11-4/5 × 3-1/2	0.302	2	4	16	48	186	484
	PK4109	117 × 400 × 90	4-3/5 × 15-3/4 × 3-1/2	0.374	2.7	9	36	24	292	725
	PK5109	117 × 500 × 90	4-3/5 × 19-7/10 × 3-1/2	0.473	3.5	8	32	24	192	500
	PK6109	117 × 600 × 90	4-3/5 × 23-3/5 × 3-1/2	0.549	4.2	10	40	24	186	484
209	PK3209	234 × 300 × 90	9-1/5 × 11-4/5 × 3-1/2	0.464	4.4	8	32	24	186	484
	PK4209	234 × 400 × 90	9-1/5 × 15-3/4 × 3-1/2	0.594	6	12	48	12	292	725
	PK5209	234 × 500 × 90	9-1/5 × 19-7/10 × 3-1/2	0.678	7.8	16	64	12	292	500
	PK6209	234 × 600 × 90	9-1/5 × 23-3/5 × 3-1/2	0.806	9.4	15	60	12	186	484
214	PK3214	234 × 300 × 140	9-1/5 × 11-4/5 × 5-1/2	0.568	7.1	12	48	16	180	456
	PK4214	234 × 400 × 140	9-1/5 × 15-3/4 × 5-1/2	0.699	9.9	15	60	8	272	679
	PK5214	234 × 500 × 140	9-1/5 × 19-7/10 × 5-1/2	0.910	12.6	20	80	8	192	500
	PK6214	234 × 600 × 140	9-1/5 × 23-3/5 × 5-1/2	1.028	15.4	25	100	8	180	456

Features



Description

- ◆ Chrome shelves with corrosion resistant & 130kg capacity per shelf.
- ◆ Good appearance to make your worksite clean.
- ◆ Works with shelf bin to organize parts and increase efficiency.
- ◆ The shelves could be adjustable for your needs.
- ◆ Easy installation for one person.



Specifications

Model	Dimensions(shelf) W x D x H (mm)	Dimensions(shelf) W x D x H (inch)	Bin Model	Bin Qty (pcs)	Shelf Qty
WSR11-3214	1050×270×1950	41-3/10×10-3/5×76-4/5	PK3214	40	10+1
WSR15-4214	1050×370×1950	41-3/10×14-3/5×76-4/5	PK4214	40	10+1
WSR19-5214	1050×470×1950	41-3/10×18-1/2×76-4/5	PK5214	40	10+1
WSR23-6214	1050×570×1950	41-3/10×22-2/5×76-4/5	PK6214	40	10+1
WSR11-3209	1050×270×1950	41-3/10×10-3/5×76-4/5	PK3209	56	14+1
WSR15-4209	1050×370×1950	41-3/10×14-3/5×76-4/5	PK4209	56	14+1
WSR19-5209	1050×470×1950	41-3/10×18-1/2×76-4/5	PK5209	56	14+1
WSR23-6209	1050×570×1950	41-3/10×22-2/5×76-4/5	PK6209	56	14+1
WSR11-3109	1050×270×1950	41-3/10×10-3/5×76-4/5	PK3109	112	14+1
WSR15-4109	1050×370×1950	41-3/10×14-3/5×76-4/5	PK4109	112	14+1
WSR19-5109	1050×470×1950	41-3/10×18-1/2×76-4/5	PK5109	112	14+1
WSR23-6109	1050×570×1950	41-3/10×22-2/5×76-4/5	PK6109	112	14+1
WSR11-3M	1050×270×1950	41-3/10×10-3/5×76-4/5	PK3109 + PK3209 + PK3214	32+20+16	13+1
WSR15-4M	1050×370×1950	41-3/10×14-3/5×76-4/5	PK4109 + PK4209 + PK4214	32+20+16	13+1
WSR19-5M	1050×470×1950	41-3/10×18-1/2×76-4/5	PK5109 + PK5209 + PK5214	32+20+16	13+1
WSR23-6M	1050×570×1950	41-3/10×22-2/5×76-4/5	PK6109 + PK6209 + PK6214	32+20+16	13+1

Description

- ◆ Chrome shelves with corrosion resistant & 130kg capacity per shelf.
- ◆ Good appearance to make your worksite clean.
- ◆ Works with shelf bin to organize parts and increase efficiency.
- ◆ The shelves could be adjustable for your needs.
- ◆ Easy moving with castors.
- ◆ Easy installation for one person.



=



Wire shelves

+



Post and Castor

+




Bins

Specifications

Model	Dimensions(shelf) W x D x H (mm)	Dimensions(shelf) W x D x H (inch)	Bin Model	Bin Qty (pcs)	Shelf Qty
WST11-3214	1050×270×1150	41-3/10×10-3/5×45-1/4	PK3214	20	5+1
WST15-4214	1050×370×1150	41-3/10×14-3/5×45-1/4	PK4214	20	5+1
WST19-5214	1050×470×1150	41-3/10×18-1/2×45-1/4	PK5214	20	5+1
WST23-6214	1050×570×1150	41-3/10×22-2/5×45-1/4	PK6214	20	5+1
WST11-3209	1050×270×1150	41-3/10×10-3/5×45-1/4	PK3209	28	7+1
WST15-4209	1050×370×1150	41-3/10×14-3/5×45-1/4	PK4209	28	7+1
WST19-5209	1050×470×1150	41-3/10×18-1/2×45-1/4	PK5209	28	7+1
WST23-6209	1050×570×1150	41-3/10×22-2/5×45-1/4	PK6209	28	7+1
WST11-3109	1050×270×1150	41-3/10×10-3/5×45-1/4	PK3109	56	7+1
WST15-4109	1050×370×1150	41-3/10×14-3/5×45-1/4	PK4109	56	7+1
WST19-5109	1050×470×1150	41-3/10×18-1/2×45-1/4	PK5109	56	7+1
WST23-6109	1050×570×1150	41-3/10×22-2/5×45-1/4	PK6109	56	7+1
WST11-3M	1050×270×1150	41-3/10×10-3/5×45-1/4	PK3109 + PK3209 + PK3214	16+8+8	6+1
WST15-4M	1050×370×1150	41-3/10×14-3/5×45-1/4	PK4109 + PK4209 + PK4214	16+8+8	6+1
WST19-5M	1050×470×1150	41-3/10×18-1/2×45-1/4	PK5109 + PK5209 + PK5214	16+8+8	6+1
WST23-6M	1050×570×1150	41-3/10×22-2/5×45-1/4	PK6109 + PK6209 + PK6214	16+8+8	6+1

Description

- ◆ Manufactured from high-grade steel with corrosion resistant & 150kg capacity per shelf.
- ◆ Good appearance to make your worksite clean.
- ◆ Works with shelf bin to organize parts and increase efficiency.
- ◆ The shelves could be adjustable for your needs.
- ◆ Easy installation.



Specifications


Model	Dimensions(shelf) W x D x H (mm)	Dimensions(shelf) W x D x H (inch)	Bin Model	Bin Qty (pcs)	Shelf Qty
PKR15-4109	1200×400×2000	47-1/4×15-3/4×78-3/4	PK4109	150	15+1
PKR15-4209	1200×400×2000	47-1/4×15-3/4×78-3/4	PK4209	75	15+1
PKR15-4214	1200×400×2000	47-1/4×15-3/4×78-3/4	PK4214	50	10+1
PKR19-5109	1200×500×2000	47-1/4×19-7/10×78-3/4	PK5109	150	15+1
PKR19-5209	1200×500×2000	47-1/4×19-7/10×78-3/4	PK5209	75	15+1
PKR19-5214	1200×500×2000	47-1/4×19-7/10×78-3/4	PK5214	50	10+1
PKR23-6109	1200×600×2000	47-1/4×23-3/5×78-3/4	PK6109	150	15+1
PKR23-6209	1200×600×2000	47-1/4×23-3/5×78-3/4	PK6209	75	15+1
PKR23-6214	1200×600×2000	47-1/4×23-3/5×78-3/4	PK6214	50	10+1
PKR15-4M	1200×400×2000	47-1/4×15-3/4×78-3/4	PK4109+PK4209+PK4214	30+20+25	12+1
PKR19-5M	1200×500×2000	47-1/4×19-7/10×78-3/4	PK5109+PK5209+PK5214	30+20+25	12+1
PKR23-6M	1200×600×2000	47-1/4×23-3/5×78-3/4	PK6109+PK6209+PK6214	30+20+25	12+1

Description

- ◆ Made of high-strength polypropylene with reinforced rims.
- ◆ Each bin could be interlocked side by side.
- ◆ Stackable on each other with 4 stanchions.
- ◆ Works with wire shelving and racking.
- ◆ Available in 5 sizes and 3 colors: blue, red and yellow.



Available in ESD



Specifications

Item No	Outer Dimension W×D×H(mm)	Outer Dimension W×D×H(inch)	N.W. (kg)	Load (kg)	Qty/ctn (pcs)	Qty/20GP (ctn)	Qty/40HC (ctn)
PK-001	100×160×74	4×6-3/10×2-9/10	0.103	3	50	576	1312
PK-002	150×240×124	5-9/10×9-2/5×4-4/5	0.33	8	36	176	436
PK-003	200×340×150	7-4/5×13-2/5×5-9/10	0.61	15	18	177	446
PK-004	200×450×175	7-4/5×17-7/10×6-9/10	0.898	30	12	168	396
PK-005	300×450×175	11-4/5×17-7/10×6-9/10	1.038	50	8	174	400




Description

- ◆ Made of high-strength polypropylene with reinforced rims.
- ◆ Each bin could nest in each other to save space when empty.
- ◆ Rear handlock allows bin to hang on louvered panel.
- ◆ Works with louvered panel and tool cabinet.
- ◆ Available in 5 sizes and 3 colors: blue, red and yellow.



Available in ESD



Specifications

Item No	Outer Dimension W×D×H(mm)	Outer Dimension W×D×H(inch)	N.W. (kg)	Load (kg)	Qty/ctn (pcs)	Qty/20GP (ctn)	Qty/40HC (ctn)
PK-011	105×110×50	4-1/10×4-3/10×2	0.055	3	24	2727	6483
PK-012	105×140×75	4-1/10×5-1/2×3	0.078	3	24	1768	4140
PK-013	105×190×75	4-1/10×7-1/2×3	0.106	4	24	1245	2908
PK-014	140×220×125	5-1/2×8-7/10×5	0.238	10	12	999	2367
PK-015	140×270×125	5-1/2×10-3/5×5	0.253	10	12	812	1968




Description

- ◆ Made of high-strength polypropylene with reinforced rims.
- ◆ Each bin could be interlocked side by side.
- ◆ Stackable on each other and hangable on the louvered panel.
- ◆ Works with wire shelving, racking and louvered panel.
- ◆ Available in 4 sizes and 3 colors: blue, red and yellow.



Available in ESD




Specifications

Item No	Outer Dimension W×D×H(mm)	Outer Dimension W×D×H(inch)	N.W. (kg)	Load (kg)	Qty/ctn (pcs)	Qty/20GP (ctn)	Qty/40HC (ctn)
PK-006	107×185×77	4-1/5×7-3/10×3	0.127	4	64	336	785
PK-007	214×280×175	8-2/5×11×6-9/10	0.476	22	16	192	480
PK-008	214×370×175	8-2/5×14-3/5×6-9/10	0.597	27	8	304	726
PK-010	420×370×175	16-1/2×14-3/5×6-9/10	1.033	35	4	336	780



Description

- ◆ Chrome shelves with corrosion resistant & 130kg capacity per shelf.
- ◆ Works with storage bin to organize parts and increase efficiency.
- ◆ A wide open hopper front for easy picking.
- ◆ The shelves could be adjustable for your needs.
- ◆ Easy installation for one person.



Specifications

Item No	Dimensions(shelf) W×D×H(inch)	Dimensions(shelf) W×D×H(mm)	Bin Model	Bins Qty (pcs)	Dimensions(Bin) W×D×H(inch)	Dimensions(Bin) W×D×H(mm)	Number Shelves
WSR4018-002	40×18×77	1016×457×1950	PK002	96	5-9/10×9-2/5×4-4/5	150×240×124	8+1
WSR3614-003	36×14×77	914×356×1950	PK003	32	7-4/5×13-2/5×5-9/10	200×340×150	8+1
WSR3618-004	36×18×77	914×457×1950	PK004	32	7-4/5×17-7/10×6-9/10	200×450×175	8+1
WSR4018-005	40×18×77	1016×457×1950	PK005	24	11-4/5×17-7/10×6-9/10	300×450×175	8+1
WSR3614-008	36×14×77	914×356×1950	PK008	32	8-2/5×14-3/5×6-9/10	214×370×175	8+1
WSR3614-010	36×14×77	914×356×1950	PK010	16	16-1/2×14-3/5×6-9/10	420×370×175	8+1



Description

- ◆ Chrome shelves with corrosion resistant & 130kg capacity per shelf.
- ◆ Works with storage bin to organize parts and increase efficiency.
- ◆ A wide open hopper front for easy picking.
- ◆ The shelves could be adjustable for your needs.
- ◆ Easy moving with castor.
- ◆ Easy installation for one person.



Specifications

Item No	Dimensions(shelf) W×D×H(inch)	Dimensions(shelf) W×D×H(mm)	Bin Model	Bins Qty (pcs)	Dimensions(Bin) W×D×H(inch)	Dimensions(Bin) W×D×H(mm)	Number Shelves
WST4018-002	40×18×45	1016×457×1150	PK002	48	6×9-7/16×4-7/8	150×240×124	4+1
WST3614-003	36×14×45	914×356×1150	PK003	16	7-7/8×13-3/8×6	200×340×150	4+1
WST3618-004	36×18×45	914×457×1150	PK004	16	7-7/8×17-3/4×7	200×450×175	4+1
WST4018-005	40×18×45	1016×457×1150	PK005	12	11×17-3/4×7	300×450×175	4+1
WST3614-008	36×14×45	914×356×1150	PK008	16	8-7/16×14-9/16×7	214×370×175	4+1
WST3614-010	36×14×45	914×356×1150	PK010	8	16-1/2×14-9/16×7	420×370×175	4+1



Description

- ◆ Manufactured from heavy-duty 16-gauge, cold-rolled steel.
- ◆ Various sizes with hang picking bins to organize parts and increase efficiency.
- ◆ Can be mounted on the wall, benches and cabinet.
- ◆ Available to be placed on the floor with the base.
- ◆ Available to move with carstors.



GLP-1819

18"L x19"H 458mmL x475mmH

GLP-3619

36"L x19"H 915mmL x475mmH

GLP-2721

27"L x21"H 686mmL x534mmH



GLP-3661

36"L x 61"H 915mmL x 1550mmH



GLP-1861

18"L x 61"H 458mmL x 1550mmH



GBR-2112

21"L x 12"H 530mmL x 305mmH



GBR-3612

36"L x 12"H 915mmL x 305mmH



GBR-3619

36"L x 19"H 915mmL x 475mmH



GBR-1819


18"L x 19"H 458mmL x 475mmH

Specifications

Item No	Dimension		Load capacity (kg)	Bin Qty to fit louvered panel and rack system									
	L x H (inch)	L x H (mm)		PK006	PK007	PK008	PK010	PK011	PK012	PK013	PK014	PK015	
GLP-1819/ GBR-1819	18 x 19	458 x 475	80	20	4	4	2	20	20	20	9	9	
GLP-2721/ GBR-2721	27 x 21	686 x 534	80	30	9	9	-	30	30	30	-	-	
GLP-3612/ GBR-3612	36 x 12	915 x 305	80	24	4	4	2	24	24	24	12	12	
GLP-3619/ GBR-3619	36 x 19	915 x 475	80	40	8	8	4	40	40	40	18	18	
GLP-1824	18 x 24	450 x 600	80	24	6	6	3	24	24	24	12	12	
GLP-1861	18 x 61	458 x 1550	80	60	12	12	6	60	60	60	27	27	
GLP-3661	36 x 61	915 x 1550	80	120	28	28	14	120	120	120	54	54	
GBR-2112	21 x 12	530 x 305	80	15	-	-	-	15	15	15	-	-	

Louvered Floor Panel

Item No	Dimension W x D x H (inch)	Dimension W x D x H (mm)	Description	Panel Qty	Bin Qty to fit louvered panel and rack system									
					PK006	PK007	PK008	PK010	PK011	PK012	PK013	PK014	PK015	
GFR-3616	36 x 16 x 61	920 x 405 x 1555	Single sided	3	120	24	24	12	120	120	120	57	57	
GFR-3628	36 x 28 x 61	920 x 710 x 1555	Double sided	6	240	48	48	24	240	240	240	108	108	
GMR-3628	36 x 28 x 65-1/2	920 x 710 x 1665	Mobile	6	240	48	48	24	240	240	240	108	108	



Description

- ◆ Container are nestable to save space when empty.
- ◆ Comfortable handling design for easy lifting.
- ◆ Moving easily with the dolly.
- ◆ Use with temperatures of -25° to 40°
- ◆ 100% recyclable.

Attached lid container PK5332&PK6040

- ◆ Flat side for logo print.
- ◆ Lid have been fixed on the body by itself.



Attached lid container PK64315

- ◆ Side with reinforcing ribs to improve the load capacity.
- ◆ Lid have been fixed on the body by steel wire.



Detached lid container PK5432

- ◆ Side with reinforcing ribs to improve the load capacity.
- ◆ Lid is separated from the body.



Specifications

Item No	Outer Dimension W x D x H (mm)	Outer Dimension W x D x H (inch)	N.W. (kg)	Load capacity (kg)	Stack Load Cap (kg)	Qty/20GP (ctn)	Qty/40HC (ctn)
PK5332	530 x 320 x 320	20-9/10 x 12-3/5 x 12-3/5	2.2	30	120	2205	5355
PK5432	560 x 385 x 320	22 x 15-1/5 x 12-3/5	2.2	30	150	1440	3500
PK64315	600 x 400 x 315	23-3/5 x 15-3/4 x 12-2/5	2.9	50	150	1150	2792
PK6040	600 x 400 x 320	23-3/5 x 15-3/4 x 12-3/5	3.4	50	250	850	2064

Description

- ◆ Made of high-strength polypropylene with reinforced bases.
- ◆ Stackable with or without lids for storage and shipping.
- ◆ Nestable to save space when empty.
- ◆ Comfortable handling design for easy lifting.
- ◆ Smooth surfaces are easy to clean.
- ◆ Use with temperature of -25 °C to 40 °C.



Specifications

Item No	Outer Dimension W×D×H(mm)	Inner Dimension W×D×H(mm)	Outer Dimension W×D×H(inch)	Inner Dimension W×D×H(inch)	N.W. (kg)	Load capacity (kg)	Stack Load Cap (kg)	Qty/20GP (pcs)	Qty/40HC (pcs)
TS-32	645×416×210	596×365×206	25-2/5×16-2/5×8-3/10	23-1/2×14-2/5×8-1/10	1.64	25	125	1250	2900
TS-52	645×416×270	596×365×265	25-2/5×16-2/5×10-3/5	23-1/2×14-2/5×10-2/5	1.91	30	150	1200	2800
TS-68	645×416×394	596×365×388	25-2/5×16-2/5×15-1/2	23-1/2×14-2/5×15-3/10	2.51	40	200	650	1500

Accessories




Lid



Dolly

Description

- ◆ Made of high-strength polypropylene with reinforced bases, sides and rims.
- ◆ Straight wall to provide efficient internal space.
- ◆ Comfortable handling design for easy lifting.
- ◆ Solid-wall container with smooth inner wall for easy cleaning.
- ◆ Mixed container could stack on each other.
- ◆ Use with temperature of -25 °C to 40 °C.




Specifications

Model	Outer Dimensions W×D×H (mm)	Inner Dimensions W×D×H (mm)	Outer Dimensions W×D×H (inch)	Inner Dimensions W×D×H (inch)	Volume (L)	Weight (kg)	Load capacity (kg)	Stack Load cap (kg)	Qty/20GP (pcs)	Qty/40HC (pcs)
PK-A2	300x200x148	355x260x130	15-7/10x7-4/5x5-4/5	15-7/10x11-4/5x5-4/5	5.4	0.54±0.22(lid)	10	50	3200	7040
PK-B2	400x300x148	355x260x260	15-3/4x11-4/5x5-4/5	15-7/10x11-4/5x5-4/5	12	0.95±0.41(lid)	20	100	1600	3520
PK-C2	400x300x280	355x260x260	15-3/4x11-4/5x11	15-7/10x11-4/5x11	24	1.58±0.41(lid)	25	125	800	1760
PK-D2	600x400x280	555x365x260	23-3/5x15-3/4x11	23-3/5x15-7/10x11	52.7	2.64±0.81(lid)	40	200	400	880
PK-F	600x400x220	560x360x210	23-3/5x15-3/4x8-7/10	23-3/5x15-7/10x8-7/10	42.3	2.2±0.83(lid)	35	175	350	770
PK-G	600x400x320	560x360x210	23-3/5x15-3/4x12-3/5	23-3/5x15-7/10x12-3/5	62.5	2.95	45	225	350	770
PK-H2	800x400x148	555x365x125	23-3/5x15-3/4x5-4/5	23-3/5x15-7/10x5-4/5	25.3	1.50±0.8(lid)	30	150	800	1760
PK-J	400x300x220	555x260x210	15-3/4x11-4/5x3-7/10	15-7/10x11-4/5x3-7/10	18.5	1.4±0.43(lid)	45	225	500	1100

Features



Reinforced ribs on the bottom



Label holder A



Label holder B

New Stacking Containers

Specifications

Series	Outer Dimensions W×D×H (mm)	Inner Dimensions W×D×H (mm)	Outer Dimensions W×D×H (inch)	Inner Dimensions W×D×H (inch)	Volume (L)	Weight (kg)	Load capacity (kg)	Stack load cap (kg)	Qty/20GP (pcs)	Qty/40GP (pcs)
PK-2311	300×200×120	265×165×110	11-4/5×7-9/10×4-7/10	10-2/5×6-1/2×4-3/10	4.0	0.5	10	50	3888	9444
PK-23148	300×200×148	365×165×140	11-4/5×7-9/10×5-4/5	14-2/5×6-1/2×5-1/2	5.1	0.55	15	75	3153	7657
PK-4311	400×300×120	365×265×110	15-7/10×11-4/5×4-7/10	14-2/5×10-2/5×4-3/10	9.1	0.8	15	75	1944	4722
PK-43148	400×300×148	365×265×140	15-7/10×11-4/5×5-4/5	14-2/5×10-2/5×5-1/2	11.8	0.9	15	75	1576	3828
PK-4316	400×300×170	365×265×160	15-7/10×11-4/5×6-7/10	14-2/5×10-2/5×6-3/10	13.6	1	20	90	1372	3333
PK-4322	400×300×230	365×265×220	15-7/10×11-4/5×9	14-2/5×10-2/5×8-7/10	19.0	1.2	20	100	1014	2463
PK-4328	400×300×280	365×265×270	15-7/10×11-4/5×11	14-2/5×10-2/5×10-3/5	23.5	1.3	20	100	686	1666
PK-4333	400×300×340	365×265×330	15-7/10×11-4/5×13-2/5	14-2/5×10-2/5×13	29.0	1.55	30	110	686	1666
PK-4611	600×400×120	565×365×110	23-3/5×15-7/10×4-7/10	22-1/5×14-2/5×4-3/10	19.7	1.35	20	100	972	2361
PK-46148	600×400×148	565×365×140	23-3/5×15-7/10×5-4/5	22-1/5×14-2/5×5-1/2	25.6	1.6	25	100	788	1914
PK-4616	600×400×170	565×365×160	23-3/5×15-7/10×6-7/10	22-1/5×14-2/5×6-3/10	29.6	1.75	25	100	686	1666
PK-4622	600×400×230	565×365×220	23-3/5×15-7/10×9	22-1/5×14-2/5×8-7/10	41.4	1.9	25	100	507	1232
PK-4628	600×400×280	565×365×270	23-3/5×15-7/10×11	22-1/5×14-2/5×10-3/5	51.2	2.3	25	100	417	1011
PK-4633	600×400×340	565×365×330	23-3/5×15-7/10×13-2/5	22-1/5×14-2/5×13	63.0	2.8	25	120	343	833
PK-4644	600×400×450	565×365×440	23-3/5×15-7/10×17-7/10	22-1/5×14-2/5×17-3/10	84.7	4.05	30	125	259	629
PK-4822	800×400×230	765×365×220	31-1/2×15-7/10×9	30-1/10×14-2/5×8-7/10	56.2	2.9	25	130	380	923
PK-4833	800×400×340	765×385×330	31-1/2×15-7/10×13-2/5	30-1/10×15-1/5×13	85.7	3.4	25	125	257	625
PK-8611	800×600×120	765×565×110	31-1/2×23-3/5×4-7/10	30-1/10×22-1/5×4-3/10	41.0	2.6	20	125	486	1180
PK-8622	800×600×230	765×565×220	31-1/2×23-3/5×9	30-1/10×22-1/5×8-7/10	88.0	3.5	30	100	253	616
PK-8628	800×600×280	765×565×270	31-1/2×23-3/5×11	30-1/10×22-1/5×10-3/5	108.9	4	30	150	208	506
PK-8633	800×600×340	765×565×330	31-1/2×23-3/5×13-2/5	30-1/10×22-1/5×13	134.0	4.6	35	150	172	417
PK-8644	800×600×450	765×565×440	31-1/2×23-3/5×17-7/10	30-1/10×22-1/5×17-3/10	180.0	5.95	40	175	130	315
PK-4911	900×400×120	865×365×110	35-2/5×15-7/10×4-7/10	34×14-2/5×4-3/10	30.4	2.05	30	200	648	1574
PK-4922	900×400×230	865×365×220	35-2/5×15-7/10×9	34×14-2/5×8-7/10	63.7	2.8	30	150	338	821
PK-41028	1000×400×280	965×365×270	39-2/5×15-7/10×11	38×14-2/5×10-3/5	71.2	4	35	150	250	607
PK-41211	1200×400×120	1165×365×110	47-1/4×15-7/10×4-7/10	45-9/10×14-2/5×4-3/10	41.0	2.8	25	175	486	1180
PK-41222	1200×400×230	1165×365×220	47-1/4×15-7/10×9	45-9/10×14-2/5×8-7/10	90.2	4	30	125	253	616
PK-41233	1200×400×340	1165×365×330	47-1/4×15-7/10×13-2/5	45-9/10×14-2/5×13	131.0	4.85	35	150	172	416
PK-41244	1200×400×450	1165×365×440	47-1/4×15-7/10×17-7/10	45-9/10×14-2/5×17-3/10	180.5	7	35	175	129	314

Description

- ◆ Perfect for transporting containers or boxes.
- ◆ Swivel castors provide easy and smooth rolling.
- ◆ Light weight and easy installation for one person.
- ◆ Available in custom size.



Specifications

Item No	Dimensions W×D×H(mm)	Dimensions W×D×H(inch)	Container Model	Load capacity (kg)
PKD-B	610×310×140	24×12-1/5×5-1/2	PK-B2/PK-C2	80
PKD-D	610×410×140	24×16-1/10×5-1/2	PK-D2/PK-H2	80
PKD-6040	520×350×140	20-1/2×13-4/5×5-1/2	PK6040	80

New Dolly

